



GE Electromaterials

PRODUCT DATA GETEK® Product Selection Guide



Laminates

| | | | |
|--------|------------|--------|------------------------------|
| 0.0027 | +/- 0.0005 | ML200D | 1080 |
| 0.004 | +/- 0.0005 | ML200D | 2313 |
| 0.005 | +/- 0.0007 | ML200M | 106/2313 |
| 0.006 | +/- 0.0007 | ML200D | 1080/2313 |
| 0.007 | +/- 0.0010 | ML200M | (2) 2313 |
| 0.008 | +/- 0.0010 | ML200D | 2313/2116 |
| 0.010 | +/- 0.0010 | ML200D | (2) 2116 |
| 0.012 | +/- 0.0010 | ML200D | 1080/7628/1080 |
| 0.014 | +/- 0.0015 | ML200D | (2) 7628 |
| 0.018 | +/- 0.0015 | ML200D | 7628/2313/7628 |
| 0.021 | +/- 0.0020 | ML200D | (3) 7628 |
| 0.024 | +/- 0.0020 | ML200C | 2116/(2) 7628/2116 |
| 0.028 | +/- 0.0020 | ML200D | (4) 7628 |
| 0.028A | +/- 0.0020 | ML200C | 1080/2313/(3) 2116/2313/1080 |
| 0.031 | +/- 0.0030 | ML200C | 2116/(3) 7628/2116 |
| 0.031 | +/- 0.0040 | RG200D | (4) 7628 |
| 0.044 | +/- 0.0050 | RG200D | (6) 7628 |
| 0.059 | +/- 0.0050 | RG200D | (8) 7628 |

All thicknesses/copper wts available as RTF or HTE copper.

| 1/1 | H/H | 1/H | 2/1 | 2/H | 2/2 |
|-----|-----|-----|-----|-----|-----|
| ⌘ | ⌘ | ⌘ | ✓ | ✓ | ⌘ |
| * | * | * | * | ✓ | ✓ |
| * | * | ⌘ | ✓ | ✓ | ⌘ |
| * | * | ✓ | ⌘ | ✓ | ✓ |
| * | * | ⌘ | ⌘ | ✓ | ✓ |
| * | * | * | ⌘ | ✓ | ⌘ |
| * | * | ⌘ | ✓ | ✓ | ✓ |
| * | ⌘ | ✓ | ✓ | ✓ | ✓ |
| * | * | * | ⌘ | ✓ | ⌘ |
| * | ⌘ | ✓ | ⌘ | ✓ | ✓ |
| * | ⌘ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| * | ⌘ | ✓ | ✓ | ✓ | ⌘ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ⌘ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ⌘ | ⌘ | ✓ | ✓ | ✓ | ✓ |



 = 36 x 72 Manufactured Sheet Size
 = Both 36 x 48 and 36 x 72 Manufactured Sheet Size

- * = Stocking item for both RTF and HTE copper.
- ⌘ = Stocking item for HTE copper only
- ✓ = Standard Products (not stocked, but available with factory lead times and minimums)

Minimum Purchase Quantities: From warehouses, minimum quantity is \$100 per line item;
 Orders placed on the factory require 10 sheets laminate (or the equivalent ft²), 'and/or 1 roll (or 300 pieces) of prepreg.
 Nominal thickness includes copper for RG200, core only for ML200
 (Other products available as custom items - contact GE Customer Service)

Prepregs

| | | |
|------|----------|---|
| 106 | T017550X | * |
| 1080 | T416340X | * |
| 2313 | T315530X | * |
| 2116 | T615430X | * |
| 7628 | T814225X | * |

37 x 150 and 37 x 250 Standard Roll Size

Available Services

| | ML200 | RG200 | Prepreg |
|--------------|-------|-------|---------|
| Panelization | ✓ | ✓ | ✓ |
| Embossing | ✓ | ✓ | |
| Tooling | | | ✓ |

Rev. C: 03/16/00

GE Electromaterials

General Electric Company

1350 S. Second Street

Coshocton, OH 43812

(800) 848-3710

<http://www.ge.com/electromaterials>

Property values are typical values. The data provided herein is for information purposes only. Each user of the material should perform their own tests to determine the suitability of the material for their particular application. Statements concerning possible or suggested uses of the material described herein are not to be construed as constituting a license under any General Electric patent covering such use or as recommendations for use of such material in the infringement of any patent.